Contents to volume 333

Research Letters

Targeting of recombinant Na^+/glucose cotransporter (SGLT1) to the apical membrane (FEBS 13123) *C.-T. Kong, A. Varde, J.E. Lever* 1

Two proteins involved in kinetoplast compaction (FEBS 13124) *I. Tittawella, L. Carlsson, L.-E. Thornell* 5

Changed lateral migration of phospho-LHCII in the thylakoid membrane upon acclimation of spinach to low temperatures (FEBS 13128) *I. Carlberg, B. Andersson* 10

The primary structure of inhibitor of cysteine proteinases from potato (FEBS 13125) *I. Križaj, M. Drobnič-Košorok, J. Brzin, R. Jerala, V. Turk* 15

The *gag* precursor contains a specific HIV-1 protease cleavage site between the NC (P7) and P1 proteins (FEBS 13126) *E.M. Wondrak, J.M. Louis, H. de Rocquigny, J.-C. Chermann, B.P. Roques* 21

Cloning and characterization of the rat 5-HT_{5B} receptor: Evidence that the 5-HT_{5B} receptor couples to a G protein in mammalian cell membranes (FEBS 13129) *W. Wisden, E.M. Parker, C.D. Mahle, D.A. Grisel, H.P. Nowak, F.D. Yocca, C.C. Felder, P.H. Seeburg, M.M. Voigt* 25

Potassium regulates plasma testosterone and renal ornithine decarboxylase in mice (FEBS 13130) *A. Sánchez-Capelo, A. Cremades, F. Tejada, T. Fuentes, R. Peñafiel* 32

Association constants of anti-hapten monoclonal IgG1 with mouse FcγRII in the presence and absence of hapten (FEBS 13131) *M.T. Sumner* 35

The primary structure of carboxypeptidase S1 from *Penicillium janthinellum* (FEBS 13132) *I. Svendsen, T. Hofmann, J. Endrizzi, S.J. Remington, K. Breddam* 39

A Glu^{329}→Gln variant of the α-subunit of the rat kidney Na^+,K^+-ATPase can sustain active transport of Na^+ and K^+ and Na^+,K^+-activated ATP hydrolysis with normal turnover number (FEBS 13133) *B. Vilsen* 44

Cloning of CRP2, a novel member of the cysteine-rich protein family with two repeats of an unusual LIM/double zinc-finger motif (FEBS 13135) *I. Okano, T. Yamamoto, A. Kaji, T. Kimura, K. Mizuno, T. Nakamura* 51

rab3-Peptide stimulates exocytosis from mast cells via a pertussis toxin-sensitive mechanism (FEBS 13140) *G.J. Law, A.J. Northrop, W.T. Mason* 56

Hepatocyte growth factor-like protein is identical to macrophage stimulating protein (FEBS 13136) *A. Shimamoto, T. Kimura, K. Matsumoto, T. Nakamura* 61

Characterisation of protein kinase C isoforms and enzymic activity from the αT3-1 gonadotroph-derived cell line (FEBS 13138) *M.S. Johnson, D.J. MacEwan, J. Simpson, R. Mitchell* 67

Effects of dexamethasone on L-type calcium currents in the A7r5 smooth muscle-derived cell line (FEBS 13095) *C.A. Obejero-Paz, M. Lakshmanan, S.W. Jones, A. Scarpa* 73

H^+-coupled (Na^+-independent) proline transport in human intestinal (Caco-2) epithelial cell monolayers (FEBS 13141) *D.T. Thwaites, G.T.A. McEwan, M.J. Cook, B.H. Hirst, N.L. Simmons* 78

Uterine cells other than stromal decidual cells are required for 1,25-dihydroxyvitamin D_3 production during early human pregnancy (FEBS 13142) *M. Kachkache, C. Rebut-Bonneton, J. Demignon, E. Cynober, M. Garabédian* 83

Effects of a single intrastrand d(GpG) platinum adduct on the strand separating activity of the *Escherichia coli* proteins RecB and RecA (FEBS 13143) *G. Villani, C. Cazaux, M.-J. Pillaire, P. Boehmer* 89

A novel peptide designed for sensitization of terbium (III) luminescence (FEBS 13145) *I.D. Clark, I. Hill, M. Sikorska-Walker, J.P. MacManus, A.G. Szabo* 96

Structural relationship of streptavidin to the calycin protein superfamily (FEBS 13144) *D.R. Flower* 99

Negative correlation with liver cell division of a 38 kilodalton protein whose phosphorylation is enhanced by *ras* and G-proteins (FEBS 13146) *A.N. Hegde, C. Swamy, B.M. Krishna, M.R. Das* 103

Effect of different endothelin receptor antagonists and of the novel non-peptide antagonist Ro 46–2005 on endothelin levels in rat plasma (FEBS 13147) *B.-M. Löffler, V. Breu, M. Clozel* 108

Trimeric mutant bacteriorhodopsin, D85N, shows a monophasic CD spectrum (FEBS 13148) *M. Kataoka, K. Mihara, H. Kamikubo, R. Needleman, J.K. Lanyi, F. Tokunaga* 111

Expression of glutathione S-transferase P-form in primary cultured rat liver parenchymal cells by coplanar polychlorinated biphenyl congeners is suppressed by protein kinase inhibitors and dexamethasone (FEBS 13149) *Y. Aoki, M. Matsumoto, K.T. Suzuki* 114

Molecular cloning and gene organization of the mouse mitochondrial 3,2-*trans*-enoyl-CoA isomerase (FEBS 13150) *W. Stoffel, M. Düker, K. Hofmann* 119

Mutagenesis of human profilin locates its poly(L-proline)-binding site to a hydrophobic patch of aromatic amino acids (FEBS 13134) *C. Björkegren, M. Rozycki, C.E. Schutt, U. Lindberg, R. Karlsson* 123

The pro sequence of lactase-phlorizin hydrolase is required for the enzyme to reach the plasma membrane: An intramolecular chaperone? (FEBS 13151) *T. Oberholzer, N. Mantei, G. Semenza* 127

Functional expression of the parathyroid cell calcium receptor in *Xenopus* oocytes (FEBS 13152) *F.K. Racke, L.G. Hammerland, G.R. Dubyak, E.F. Nemeth* 132

Stoichiometry of a Cl^--translocating ATPase (FEBS 13153) *G.A. Gerencser* 137

Petunia $p34^{cdc2}$ protein kinase activity in G_2/M cells obtained with a reversible cell cycle inhibitor, mimosine (FEBS 13154) *C. Perennes, L.-X. Qin, N. Glab, C. Bergounioux* 141

Direct gene transfer into mouse diaphragm (FEBS 13067) *H.L. Davis, B.J. Jasmin* 146

Free hydroxyl radicals are formed on reaction between the neutrophil-derived species superoxide anion and hypochlorous acid (FEBS 13155) *L.P. Candeias, K.B. Patel, M.R.L. Stratford, P. Wardman* 151

Intraorganellar localization of CoASH-independent phytanic acid oxidation in human liver peroxisomes (FEBS 13159) *K. Pahan, I. Singh* 154

Sucrose-phosphate synthase phosphatase, a type 2A protein phosphatase, changes its sensitivity towards inhibition by inorganic phosphate in spinach leaves (FEBS 13101) *H. Weiner, H. Weiner, M. Stitt* 159

Catabolite inactivation of the yeast maltose transporter is due to proteolysis (FEBS 13156) *P. Lucero, M. Herweijer, R. Lagunas* 165

Isolation and characterization of autophagy-defective mutants of *Saccharomyces cerevisiae* (FEBS 13157) *M. Tsukada, Y. Ohsumi* 169

New virus-specific T-helper epitopes of foot-and-mouth disease viral VP_1 protein (FEBS 13158) *O.M. Volpina, V.M. Gelfanov, A.V. Yarov, A.Y. Surovoy, A.V. Chepurkin, V.T. Ivanov* 175

Published by Elsevier Science Publishers B.V.

Induction of adipose conversion in 3T3-L1 cells is associated with an early phosphorylation of a protein partly homologous with mouse vimentin (FEBS 13160) *R. Brandes, R. Arad, A. Gaathon, J. Bar-Tana* 179
The protein kinase *mos* activates MAP kinase kinase in vitro and stimulates the MAP kinase pathway in mammalian somatic cells in vivo (FEBS 13161) *A.R. Nebreda, C. Hill, N. Gomez, P. Cohen, T. Hunt* 183
N-terminal heterogeneity of methylamine dehydrogenase from *Thiobacillus versutus* (FEBS 13162) *J. Van Beeumen, G. Van Driessche, F. Huitema, J.A. Duine, G.W. Canters* 188
Differential inhibition by cyclosporins of primary-active ATP-dependent transporters in the hepatocyte canalicular membrane (FEBS 13168) *M. Böhme, M. Büchler, M. Müller, D. Keppler* 193
Kinetic and structural characterization of an intermediate in the biomineralization of bacterioferritin (FEBS 13172) *N.E. Le Brun, M.T. Wilson, S.C. Andrews, J.R. Guest, P.M. Harrison, A.J. Thomson, G.R. Moore* 197
Reversible inactivation of endothelial nitric oxide synthase by N^G-nitro-L-arginine (FEBS 13174) *B. Mayer, M. Schmid, P. Klatt, K. Schmidt* 203

Hypotheses

The role of 2′,3′-cyclic phosphodiesters in the bovine pancreatic ribonuclease A catalysed cleavage of RNA: intermediates or products? (FEBS 13164) *C.M. Cuchillo, X. Parés, A. Guasch, T. Barman, F. Travers, M.V. Nogués* 207
Does the HIV Nef protein mimic the MHC ? (FEBS 13186) *U. Hobohm, C. Sander* 211

Research Letters

Cooperative face-to-face and edge-to-face aromatic interactions of tryptophan indole ring with N7-quarternized guanine and neutral cytosine bases (FEBS 13163) *T. Ishida, M. Tarui, Y. In, M. Ogiyama, M. Doi, M. Inoue* 214
Verification of the interaction between peptide T and CD4 using surface plasmon resonance (FEBS 13166) *T.E. Ramsdale, P.R. Andrews, E.C. Nice* 217
Plasminogen-binding protein associated with the plasma membrane of cultured embryonic rat neocortical neurons (FEBS 13167) *K. Nakajima, K. Nagata, M. Hamanoue, N. Takemoto, A. Shimada, S. Kohsaka* 223
Overexpression of protein kinase C-ε enhances the stimulatory effect of ethanol on phospholipase C-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 fibroblasts (FEBS 13170) *Z. Kiss, N. Garamszegi* 229
Expression in mammalian cells, purification and characterization of recombinant human pancreatic ribonuclease (FEBS 13165) *N. Russo, M. de Nigris, A. Ciardiello, A. Di Donato, G. D'Alessio* 233
Transcriptional regulation of the isocitrate lyase encoding gene in *Saccharomyces cerevisiae* (FEBS 13171) *E. Fernandez, M. Fernandez, F. Moreno, R. Rodicio* 238
Conventional protein kinase C isoforms are not essential for cellular proliferation of a T cell lymphoma line (FEBS 13173) *A. Long, D. Kelleher* 243
Triplet repeat sequences in human DNA can be detected by hybridization to a synthetic $(5'\text{-CGG-}3')_{17}$ oligodeoxyribonucleotide (FEBS 13175) *A. Behn-Krappa, J. Mollenhauer, W. Doerfler* 248
Extensive ^{1}H NMR resonance assignment of proteins using natural abundance gradient-enhanced ^{13}C-^{1}H correlation spectroscopy (FEBS 13176) *S. Medvedeva, J.-P. Simorre, B. Brutscher, F. Guerlesquin, D. Marion* 251
The three-dimensional structure of the colicin E3 immunity protein by distance geometry calculation (FEBS 13177) *S. Yajima, Y. Muto, S. Morikawa, H. Nakamura, S. Yokoyama, H. Masaki, T. Uozumi* 257
Escherichia coli single-stranded DNA-binding protein alters the structure of intramolecular triplexes in plasmids (FEBS 13180) *J. Klysik, M. Shimizu* 261
Heterocomplexes of tick-borne encephalitis structural and non-structural proteins (FEBS 13178) *E.K. Pressman* 268
Presence of eight distinct homeobox-containing genes in cnidarians (FEBS 13137) *M. Naito, H. Ishiguro, T. Fujisawa, Y. Kurosawa* 271
Acidic pH increases the oxidation of LDL by macrophages (FEBS 13169) *J. Morgan, D.S. Leake* 275
Expression of *Saccharomyces cerevisiae* inorganic pyrophosphatase in *Escherichia coli* (FEBS 13179) *S.A. Kurilova, N.N. Vorobjeva, T.I. Nazarova, S.M. Avaeva* 280
Rapid pressure driven exocytosis–endocytosis cycle in a single plant cell: Capacitance measurements in aleurone protoplasts (FEBS 13181) *R. Zorec, M. Tester* 283
Insulin activates myelin basic protein (p42 MAP) kinase by a protein kinase C-independent pathway in rat adipocytes: Dissociation from glucose transport (FEBS 13183) *Y. Yang, R.V. Farese* 287
Endogenous nitric oxide induced by interleukin-1β in rat islets of Langerhans and HIT-T15 cells causes significant DNA damage as measured by the 'comet' assay (FEBS 13139) *C.A. Delaney, M.H.L. Green, J.E. Lowe, I.C. Green* 291
Physical and chemical characterization of the oligomerization state of the *Aeromonas hydrophila* lipase/acyltransferase (FEBS 13188) *J. Ausio, F.G.v. der Goot, J.T. Buckley* 296
Cloning, expression and sequence analysis of cDNA for the Ca^{2+}-binding photoprotein, mitrocomin (FEBS 13184) *T.F. Fagan, Y. Ohmiya, J.R. Blinks, S. Inouye, F.I. Tsuji* 301
Receptor-like kinase activity in membranes of *Arabidopsis thaliana* (FEBS 13190) *G.E. Schaller, A.B. Bleecker* 306
δ Opioid receptor mediates phospholipase C activation via G_i in *Xenopus* oocytes (FEBS 13185) *T. Miyamae, N. Fukushima, Y. Misu, H. Ueda* 311
New isoforms of multifunctional calcium/calmodulin-dependent protein kinase II (FEBS 13187) *P. Mayer, M. Möhlig, H. Schatz, A. Pfeiffer* 315
Calcium-mobilizing effectors inhibit P-*enol*pyruvate carboxykinase gene expression in cultured rat hepatocytes (FEBS 13189) *A. Valera, G. Solanes, F. Bosch* 319
Lysophosphatidylcholine mediates the mode of insertion of the NH_2-terminal SIV fusion peptide into the lipid bilayer (FEBS 13191) *I. Martin, M.-C. Dubois, T. Saermark, R.M. Epand, J.-M. Ruysschaert* 325
Formation of disulphide bonds in the reaction of SH group-containing amino acids with trimethylamine N-oxide: A regulatory mechanism in proteins (FEBS 13192) *B. Brzezinski, G. Zundel* 331
Cyclosporine A protects mitochondria in an in vitro model of hypoxia/reperfusion injury (FEBS 13193) *V. Gogvadze, C. Richter* 334
Interleukin-1β-induced cytosolic phospholipase A_2 activity and protein synthesis is blocked by dexamethasone in rat mesangial cells (FEBS 13194) *C.G. Schalkwijk, M. Vervoordeldonk, J. Pfeilschifter, H.v. den Bosch* 339

Errata and Corrigenda 344

Author index to volume 333 345

Contents to volume 333 349